




1. (currently amended): A method for the protection of human and animal hair and skin against the damaging effect of UV radiation, which comprises applying an effective protecting amount to said hair or skin of at least one compound ~~Use of the compounds of formula~~



A is a radical of formula (1a)




; or (1b)



R₁ and R₅ independently from each other are hydrogen; C₁-C₁₈alkyl; or C₆-C₁₂aryl;

R₂, R₃ and R₄ independently from each other are hydrogen; or a radical of formula



radical of formula (1c);

R₆, R₇, R₈, R₉ and R₁₀ independently from each other are hydrogen; hydroxy; halogen; C₁-C₁₈alkyl;

C₁-C₁₈alkoxy; C₆-C₁₂aryl; biphenyl; C₆-C₁₂aryloxy; C₁-C₁₈alkylthio; carboxy; -COOM;

C₁-C₁₈-alkylcarboxyl; aminocarbonyl; or mono- or di-C₁-C₁₈alkylamino; C₁-C₁₀acylamino; -COOH;

M is an alkali metal ion;


x is 1 or 2; and

y is a number from 2 to 10;

~~for the protection of human and animal hair and skin against the damaging effect of UV radiation.~~

2. (currently amended): A method ~~Use~~ according to claim 1, which relates to compounds of formula

(2)



, wherein

R₁, R₅, R₆, R₇ und R₈ are defined as in claim 1.


3. (currently amended): A method Use according to claim 1 ~~or 2~~, wherein R₁ and R₅ are hydrogen.

4. (currently amended): A method Use according to ~~one of claims 1 to 3~~ claim 1, wherein R₆ and R₈ are hydrogen.

5. (currently amended): A method Use according to ~~one of claims 1 to 4~~ claim 1, wherein
R₇ is hydrogen; hydroxy; C₁-C₅alkyl; C₁-C₅alkoxy; -COOM; -COOH; or COOR₁₀;
M is an alkali metal ion; and
R₁₀ is C₁-C₅alkyl.

6. (currently amended): A method Use according to claim 1, which relates to compounds of formula

(3)




, wherein

R₁, R₂, R₃, R₉ and R₁₀ are defined as in claim 1.

7. (currently amended): A method Use according to claim 6, wherein

R₁, R₂, R₃, R₉ and R₁₀ are hydrogen; or, independently from each other, C₁-C₁₈alkyl.

8. (currently amended): ~~A method Use according to any of claims 1 to 5 claim 1~~, wherein the compound of formula




is used.

9. (original): A cosmetic preparation comprising at least one compound of formula (1) according to claim 1 together with cosmetically tolerable carriers or adjuvants.

10. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (A) comprising

(a₁) at least one symmetrical triazine derivative of formula (1) and

(a₂) at least one aminobenzophenone derivative of formula



R₁ and R₂ independently from each other are; C₁-C₂₀alkyl; C₂-C₂₀alkenyl; C₃-C₁₀cycloalkyl; C₃-C₁₀cycloalkenyl; or R₁ and R₂ together with the linking nitrogen atom form a 5- or 6-membered heterocyclic ring;


n₁ is a number from 1 to 4;

when n₁ = 1,

R₃ is a saturated or unsaturated heterocyclic radical; hydroxy-C₁-C₅alkyl; cyclohexyl optionally substituted with one or more C₁-C₅alkyl; phenyl optionally substituted with a heterocyclic radical, aminocarbonyl or C₁-C₅alkylcarboxy;

when n₁ is 2,

R₃ is an alkylene-, cycloalkylene, alkenylene or phenylene radical which is optionally substituted by a carbonyl- or carboxy group; a radical of formula $\cdot\text{CH}_2\text{C}\equiv\text{CCH}_2\cdot$ or R₃ together with A

forms a bivalent radical of the formula (1a)  ; wherein

n₂ is a number from 1 to 3;

when n₁ is 3,

R₃ is an alkanetriyl radical;

~~when~~ ~~wenn~~ n₁ is 4,


R₃ is an alkanetetrayl radical;

A is -O-; or -N(R₅)-; and

R₅ is hydrogen; C₁-C₅alkyl; or hydroxy-C₁-C₅alkyl.


11. (currently amended): Cosmetic preparation according to claim 10 comprising the UV filter combination (A1) comprising
(a₃) the compound of formula (6) or (9)

(6)




(9)

; and




(a₄) the compound of formula



12. (original): Cosmetic preparation according to claim 9 comprising the UV filter combination (B) comprising

(b₁) at least one symmetrical triazine derivative of formula (1); and

(b₂) at least one aminobenzophenone derivative of the formula



wherein

R¹ and R² independently from each other are hydrogen, C₁-C₂₀alkyl; C₂-C₂₀alkenyl; C₃-C₁₀cycloalkenyl; wherein R¹ and R² may form a five- or six-membered ring;

R³ and R⁴ independently from each other are C₁-C₂₀alkyl; C₂-C₂₀alkenyl; C₃-C₁₀cycloalkenyl, C₁-C₂₀alkoxy, C₁-C₂₀alkoxycarbonyl, C₁-C₂₀alkylamino, di(C₁-C₂₀alkyl)amino, optionally substituted aryl or heteroaryl;

X is hydrogen; COOR⁵; CONR⁶R⁷;

R⁵, R⁶, R⁷ independently from each other are hydrogen, C₁-C₂₀alkyl; C₂-C₂₀alkenyl; C₃-C₁₀cycloalkyl; C₃-C₁₀cycloalkenyl; (Y-O)_q-Z; optionally substituted aryl;

Y is -(CH₂)₂-; -(CH₂)₃-; -(CH₂)₄-; -CH(CH₃)-CH₂-;

Z is -CH₂-CH₃; -CH₂-CH₂-CH₃; -CH₂-CH₂-CH₂-CH₃; CH(CH₃)-CH₃;


M is 0; 1; 2; or 3;

n is 0; 1; 2; 3; or 4; and


q is a number from 1 to 20.

13. (currently amended): Cosmetic preparation according to claim 12 comprising the UV filter combination (B1) comprising
(b₃) the compound of formula (6) or (9)


(6)



(9)




(b₄) the compound of formula



14. (original): Cosmetic preparation according to claim 9 comprising the UV filter combination (C) comprising

(c₁) at least one symmetrical triazine derivative of formula (1); and

(c₂) at least one benzotriazole derivative of formula




T₂ is C₁-C₁₀alkyl, or phenyl-substituted C₁-C₄alkyl.


15. (currently amended): Cosmetic preparation according to claim 14 comprising the UV filter combination (C1) comprising

(c₃) the compound of formula (6) or (9)

(6)




(9)



; and


(c₄) the compound of formula



16. (original): Cosmetic preparation according to claim 9 comprising the UV filter combination (D) comprising


(d₁) at least one symmetrical triazine derivative of formula (1); and

(d₂) at least one compound of formula




in which

R₁ and R₂, independently of one another, are C₃-C₁₈alkyl; C₂-C₁₈alkenyl; a radical of the formula -CH₂-CH(-OH)-CH₂-O-T₁ ; or



R₁₂ is a direct bond; a straight-chain or branched C₁-C₄alkylene radical or a radical of the formula -C_{m₁}H_{2m₁} or -C_{m₁}H_{2m₁}-O- ;

R₁₃, R₁₄ and R₁₅, independently of one another, are C₁-C₁₈alkyl; C₁-C₁₈alkoxy or a radical of the






R₁₆ is C₁-C₅alkyl;

m₁ and m₃, independently of one another, are 1 to 4;

p₁ is 0 or a number from 1 to 5;

A₁ is a radical of the formula



R_3 is hydrogen; C_1 - C_{10} alkyl, $-(CH_2CHR_5-O)_{n_1}-R_4$; or a radical of the formula

$$-\text{CH}_2-\text{CH}(\text{-OH})-\text{CH}_2-\text{O}-\text{T}_1;$$

R₄ is hydrogen; M; C₁-C₅alkyl; or a radical of the formula $-(CH_2)_{m_2}-O-T_1$;

R₅ is hydrogen; or methyl;

T₁ is hydrogen; or C₁-C₈alkyl;


Q₁ C₁-C₁₈alkyl;

M is a metal cation;


m_2 is 1 to 4; and

n_1 is 1-16.

17. (currently amended): Cosmetic preparation according to claim 16 comprising the UV filter combination (D1) comprising
(d₃) the compound of formula (6) or (9)




(9)



; and


(d₄) the compound of formula



18. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (E) comprising



(e₁) at least one symmetrical triazine derivative of formula (1); and

(e₂) at least one hydroxyphenyltriazine compound of formula




R₁, R₂ and R₃ are each independently of the others C₁-C₁₈alkyl; C₂-C₁₀alkenyl; or phenyl-C₁-C₄alkyl; and
R₄ is hydrogen; or C₁-C₅alkyl.

19. (currently amended): Cosmetic preparation according to claim 18 comprising the UV filter combination (E1) comprising
(d₃) the compound of formula (6) or (9)




(d₄) the compound of formula



20. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (F) comprising

(f₁) at least one symmetrical triazine derivative of formula (1), ~~preferably the compound of formula (6) or (9);~~ and

(f₂) at least one dibenzoylmethane derivative of formula



21. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (G) comprising


(g₁) at least one symmetrical triazine derivative of formula (1), ~~preferably the compound of formula (6) or (9);~~ and

(g₂) disodium phenyl dibenzimidazole tetrasulfonate.

22. (original): Cosmetic preparation according to claim 9 comprising the UV filter combination (H) comprising

(h₁) at least one symmetrical triazine derivative of formula (1); and

(h₂) at least one benzoxazole-substituted triazine of the formula




wherein


R₁, R₂ and R₃ independently from each other are branched or unbranched C₁-C₁₂alkyl.

23. (currently amended): Cosmetic preparation according to claim 22 comprising the UV filter combination (H1) comprising

(h₃) the compound of formula (6) or (9)



(9)



; and

(h₄) ~~at least~~ least one of the compound of formula (h₂1), wherein

R₁ and R₂ independently from each other are tert. butyl; or tert. amyl; and

R₂ is tert.butyl, tert.octyl; or 2-ethylhexyl.

24. (currently amended): Cosmetic preparation according to claim ~~22~~ or 23 comprising the UV filter combination (H2) comprising

(h₅) the compound of formula (6) or (9); and

(h₆) at least one ~~of the~~ compound of formula (h₂1), wherein

(h₆₁) R₁ and R₂ are tert.amyl; and R₃ is tert.butyl; or wherein

(h₆₂) R₁ and R₂ are tert.butyl and R₃ is tert.octyl; or wherein

(h₆₃) R₁ and R₂ are tert.butyl; and R₃ is 2-ethylhexyl; or wherein

(h₆₄) R₁ and R₂ are tert.amyl; and R₃ is 2-ethylhexyl.

25. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (I) comprising

(i₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) or (9); and~~

(i₂) 2-(2H-benzotriazol-2-yl)-4-methyl-6-[2-methyl-3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-disiloxanyl]propyl]-.

26. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (K) comprising

(k₁) at least one symmetrical triazine derivative of formula (1), ~~preferably the compound of formula (6) or (9); and~~

(k₂) siloxanes and silicones, di-Me, 1-[[4-[3-ethoxy-2-(ethoxycarbonyl)-3-oxo-1-propenyl]phenoxy]-methyl]ethenyl Me, 3-[4-[3-ethoxy-2-(ethoxycarbonyl)-3-oxo-1-propenyl]phenoxy]-1-propenyl Me, Me hydrogen.

27. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (L) comprising

(l₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9); and~~

(l₂) (+/-)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one; ~~p-methyl-benzylidene-campher;~~

28. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (M) comprising
 (m₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9);~~ and
 (m₂) α -(2-oxoborn-3-ylidene)toluene-4-sulphonic acid and its salts ~~(Mexeryl SL)~~.
29. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (N) comprising
 (n₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9);~~ and
 (n₂) methyl N,N,N-trimethyl-4-[(4,7,7-trimethyl-3-oxobicyclo[2,2,1]hept-2-ylidene)methyl]anilinium sulphate, ~~(Mexeryl SO)~~;
30. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (O) comprising
 (o₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9);~~ and
 (o₂) 2-ethylhexyl 2-cyano,3,3-diphenylacrylate ~~(octocrylene)~~.
31. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (P) comprising
 (p₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9);~~ and
 (p₂) 2-ethylhexyl 4-methoxycinnamate, ~~(octyl methoxy cinnamate)~~;
32. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (Q) comprising
 (q₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9);~~ and
 (q₂) benzoic acid, 4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)tris-, tris(2-ethylhexyl)ester; 2,4,6-Trianiino-(p-carbo-2'-ethylhexyl-1'-oxi)-1,3,5-triazine, ~~(Octyl Triazone)~~;

33. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (R) comprising

(r₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9);~~ and

(r₂) 2-phenyl-1H- benzimidazole-5-sulphonic acid, ~~(phenylbenzimidazolsulfonic acid);~~


34. (currently amended): Cosmetic preparation according to claim 9 comprising the UV filter combination (S) comprising

(s₁) at least one symmetrical triazine ~~derivatives~~ derivative of formula (1), ~~preferably the compound of formula (6) and/or (9);~~ and


(s₂) Benzoic acid, 4,4'-[[[4-[[[(1,1-dimethylethyl)amino]carbonyl]phenyl]amino]1,3,5-triazine-2,4-diyl]diimino]bis-, bis(2-ethylhexyl)ester; ~~diethylhexyl butamide triazone.~~

35. (currently amended): Cosmetic composition according to ~~any of claims~~ claim 9 to 34 wherein the compound of formula (1), formula (6) or formula (9)

(6)




(9)



is present in the composition in the micronized state.

36. (currently amended): A method of reducing the perception of wrinkles on human skin, which comprises applying an effective amount of at least one compound ~~Use of the compounds of formula~~ (1) according to claim 1 to said skin as an anti-wrinkle perception modifier.

37. (currently amended): A process for the preparation of the compound of formula (1) according to claim 1, comprising reacting a halogen triazine compound of formula (1d) in a Friedel-Crafts-reaction with an optionally substituted aromatic hydrocarbon of formula (1e) or (1f) to the compound of formula (1) according to the following reaction scheme:



wherein

X is fluoro; chloro; ~~ether~~ or bromo; and

R₁, R₂, R₃, R₉, R₁₀, x and y are defined as in claim 1.